

# Rundstahl - geschält

## Round Bar - peeled

EN 10088-3:2005 Tab. 7-1G

EN 10204 3.1



Abmessungen / Dimensions mm	Kg / m	4301/7 k12	4404 k12	4305 k12	4460 h12	4418 k12
25,00	3,85	●	●	●		
26,00	4,17	●	●			
28,00	4,83	●	●	●		
30,00	5,55	●	●	●		
31,00	5,90				●	
32,00	6,31	●	●	●		
35,00	7,55	●	●	●		
36,00	7,90			●	●	
38,00	8,90	●	●	●		
40,00	9,86	●	●	●		
41,00	10,40				●	
42,00	10,88	●	●	●		
45,00	12,50	●	●	●		
46,00	13,10				●	
50,00	15,40	●	●	●		
51,20	16,20				●	
55,00	18,70	●	●	●		●
56,20	19,50				●	
60,00	22,20	●	●	●		●
61,20	23,10				●	
65,00	26,00	●	●	●		
66,20	27,00				●	
70,00	30,21	●	●	●		
71,40	31,80				●	●
75,00	34,70	●	●	●		●
76,40	36,00				●	●
80,00	39,74	●	●	●		
81,40	40,80				●	●
82,50	42,01					●
85,00	44,56	●	●	●		
90,00	49,94	●	●	●		●
91,40	51,50				●	
95,00	55,64	●	●	●		
96,40	57,30				●	●
100,00	61,55	●	●	●		●
102,00	64,10				●	●
105,00	68,00	●	●	●		
110,00	74,50	●	●	●		
112,00	77,40				●	●
115,00	81,54	●	●	●		●
120,00	88,78	●	●	●		
122,00	90,26				●	●
125,00	96,33	●	●			
130,00	104,20	●	●	●		
135,00	112,36	●	●	●		

● = Vorrat

● = stock

# Rundstahl - geschält

Round Bar - peeled

EN 10088-3:2005 Tab. 7-1G

EN 10204 3.1



Abmessungen / Dimensions mm	Kg / m	4301/7 k12	4404 k12	4305 k12	4460 h12	4418 k12
140,00	121,00	●	●	●		
142,00	124,32					●
145,00	129,63	●	●	●		
150,00	139,00	●	●			
153,00	140,58					●
155,00	148,00	●	●			
160,00	158,00	●	●			
163,00	163,86					●
165,00	168,00	●	●	●		
170,00	178,00	●	●			
173,00	184,56					●
175,00	189,00		●	●		
180,00	200,00	●	●			
183,00	206,52					●
185,00	211,00		●			
190,00	223,00	●	●			
200,00	247,00	●	●			
205,00	259,10					●
210,00	272,00	●	●			
220,00	298,00	●	●			
225,00	312,00	●	●			
230,00	326,00	●	●			
240,00	355,00	●	●			
250,00	386,00	●	●			
255,00	401,00		●			
260,00	417,00	●	●			
270,00	450,00	●	●			
280,00	484,00	●	●			
285,00	500,00	●	●			
300,00	555,00	●	●			
320,00	632,00	●	●			
325,00	651,00	●	●			
340,00	713,00	●				
350,00	755,00	●	●			
375,00	867,00	●	●			
400,00	987,00	●	●			
425,00	1114,00	●				

● = Vorrat

● = stock

# Rundstahl - blankgezogen / geschliffen

Round Bars - Bright drawn / Centerless ground

EN 10088-3:2005 Tab. 7-2G o. P IT 9

EN 10204 3.1



Abmessungen / Dimensions mm	Kg / m	4301 gezogen h9	4301 poliert h9	4404 gezogen h9	4404 poliert h9	4305 gezogen h9	4305 poliert h9	4460 poliert h9
4,00	0,10	●		●				
5,00	0,15	●		●		●		
6,00	0,22	●	●	●		●		
7,00	0,30	●		●		●		
8,00	0,40	●	●	●		●	●	
9,00	0,50			●		●	●	
10,00	0,62	●	●	●	●	●	●	
12,00	0,89	●	●	●	●	●	●	
13,00	1,04						●	
14,00	1,21	●	●	●	●	●	●	
15,00	1,39	●		●		●	●	
16,00	1,58	●	●	●	●	●	●	
17,00	1,78					●		
18,00	2,00	●		●	●	●	●	
19,00	2,20	●		●	●	●	●	
20,00	2,47	●	●	●	●	●	●	
21,00	2,72					●		
22,00	2,98	●	●	●	●	●	●	
24,00	3,55	●		●	●	●	●	
25,00	3,85	●	●	●	●	●	●	
26,00	4,17		●				●	
28,00	4,83		●		●		●	
30,00	5,55		●		●		●	●
32,00	6,31		●		●		●	
35,00	7,55		●		●		●	●
36,00	7,90						●	
38,00	8,90		●		●		●	
40,00	9,86		●		●		●	●
45,00	12,50		●		●		●	
50,00	15,40		●		●		●	●
55,00	18,70		●		●		●	
60,00	22,20		●		●		●	●
65,00	26,00		●		●		●	
70,00	30,21		●		●		●	●
75,00	34,70		●		●		●	
80,00	39,74		●		●		●	
90,00	49,94		●		●		●	
100,00	61,55		●		●			

● = Vorrat

● = stock

# Flachstahl

## Flat Bar

geschnitten EN 10088-2, EN 10028-7 / WGW EN 10088-3:2005 Tab. 7.1G

EN 10204 3.1



Abmessungen / Dimensions mm	Kg / m	4301 geschn.	4301 WGW gebeizt	4301 Poliert	4404 geschn.	4404 WGW gebeizt
15 x 3	0,36	●				
20 x 3	0,48	●			●	
25 x 3	0,60	●			●	
30 x 3	0,73	●			●	
40 x 3	0,97	●			●	
50 x 3	1,18	●				
15 x 4	0,47	●				
20 x 4	0,65	●	●	●	●	
25 x 4	0,81	●	●	●	●	
30 x 4	0,97	●	●	●	●	
35 x 4	1,13	●				
40 x 4	1,29	●	●	●	●	
50 x 4	1,61	●		●		
15 x 5	0,60	●	●			
20 x 5	0,81	●	●	●	●	
25 x 5	1,10	●	●	●	●	
30 x 5	1,21	●	●	●	●	
35 x 5	1,41	●	●	●	●	
40 x 5	1,61	●	●	●	●	
45 x 5	1,81	●			●	
50 x 5	2,02	●	●	●	●	
60 x 5	2,42	●	●	●	●	
70 x 5	2,80	●	●	●		
75 x 5	3,02	●				
80 x 5	3,14	●	●	●		
100 x 5	3,93	●				
15 x 6	0,75	●	●			
20 x 6	0,96	●	●		●	
25 x 6	1,21	●	●	●	●	
30 x 6	1,45	●	●	●	●	
35 x 6	1,69	●				
40 x 6	1,93	●	●	●	●	
50 x 6	2,42	●	●	●	●	
60 x 6	2,90	●	●	●	●	
70 x 6	3,30	●				
75 x 6	3,63		●			
80 x 6	3,87	●	●		●	
100 x 6	4,84	●	●	●	●	
120 x 6	5,75	●				
150 x 6	7,15	●				

● = Vorrat

● = stock

# Flachstahl

## Flat bar

geschnitten EN 10088-2, EN 10028-7 / WGW EN 10088-3:2005 Tab. 7.1G

EN 10204 3.1



Abmessungen / Dimensions mm	Kg / m	4301 geschn.	4301 WGW gebeizt	4301 Poliert	4404 geschn.	4404 WGW gebeizt
20 x 8	1,29	●	●	●		
25 x 8	1,61	●	●		●	
30 x 8	1,93	●	●	●	●	
35 x 8	2,26	●	●	●	●	
40 x 8	2,58	●	●	●	●	
50 x 8	3,22	●	●	●	●	
60 x 8	3,87	●	●	●	●	
70 x 8	4,51	●	●			
75 x 8	4,75	●				
80 x 8	5,16	●	●	●	●	
100 x 8	6,45	●	●	●	●	
120 x 8	7,65		●			
125 x 8	7,93	●				
140 x 8	8,79	●				
150 x 8	9,55	●	●			
15 x 10	1,26		●			
20 x 10	1,61	●	●	●		●
25 x 10	2,02	●	●			●
30 x 10	2,42	●	●	●		●
35 x 10	2,82	●	●			
40 x 10	3,22	●	●	●	●	●
50 x 10	4,03	●	●	●	●	●
60 x 10	4,84	●	●	●	●	●
70 x 10	5,64	●	●		●	
80 x 10	6,45	●	●	●	●	●
90 x 10	7,25	●	●			
100 x 10	8,06	●	●	●	●	●
120 x 10	9,42	●	●		●	
125 x 10	9,81	●				
140 x 10	11,00	●				
150 x 10	11,78	●	●			
200 x 10	15,70	●				
20 x 12	1,93		●			●
25 x 12	2,42		●	●		
30 x 12	2,90		●	●		●
35 x 12	3,39		●			
40 x 12	3,87		●			●
50 x 12	4,84	●	●			●
60 x 12	5,80	●	●			●
70 x 12	6,77		●			
75 x 12	7,25		●			
80 x 12	7,74	●	●			●
100 x 12	9,67	●	●		●	●
120 x 12	11,30		●			
125 x 12	11,78	●				
150 x 12	14,13	●	●			

● = Vorrat

● = stock

# Flachstahl

## Flat Bar

geschnitten EN 10088-2, EN 10028-7 / WGW EN 10088-3:2005 Tab. 7.1G

EN 10204 3.1



Abmessungen / Dimensions mm	Kg / m	4301 geschn.	4301 WGW gebeizt	4301 Poliert	4404 geschn.	4404 WGW gebeizt
20 x 15	2,36		●			
25 x 15	3,00		●			
30 x 15	3,56		●			●
40 x 15	4,47		●			●
50 x 15	5,93		●			●
60 x 15	7,11		●			●
70 x 15	8,24		●			●
80 x 15	9,40		●			●
100 x 15	11,80		●			●
120 x 15	14,40		●			●
140 x 15	16,49		●			●
150 x 15	18,00		●			
30 x 20	4,84		●			
35 x 20	5,60		●			
40 x 20	6,45		●			●
50 x 20	8,06		●			●
60 x 20	9,67		●			●
70 x 20	11,30		●			●
80 x 20	12,90		●			●
100 x 20	16,10		●			●
120 x 20	18,99		●			
150 x 20	23,72		●			
40 x 25	8,06		●			●
50 x 25	10,10		●			●
60 x 25	12,10		●			●
80 x 25	16,10		●			●
100 x 25	20,20		●			●
120 x 25	23,55		●			
40 x 30	9,51		●			●
50 x 30	11,78		●			●
60 x 30	14,10		●			●
80 x 30	18,80		●			●
100 x 30	23,60		●			●
120 x 30	28,42		●			●
130 x 30	30,62					●
150 x 30	35,48		●			
60 x 40	18,84		●			
65 x 40	20,53		●			
70 x 40	22,13		●			
80 x 40	25,12		●			●
100 x 40	31,50		●			●
120 x 40	37,80					●

● = Vorrat

● = stock

## Vierkantstahl - Warmgewalzt und gebeizt

Square bar - Hot rolled and pickled

EN 10088-3:2005 Tab. 7-1D

EN 10204 3.1



Abmessungen / Dimensions mm	kg/m	4301	4404
8 x 8	0,50	●	
10 x 10	0,79	●	
12 x 12	1,13	●	
15 x 15	1,76	●	
16 x 16	2,01	●	
20 x 20	3,14	●	
25 x 25	4,91	●	●
30 x 30	7,07	●	●
35 x 35	9,62	●	●
40 x 40	12,60	●	●
50 x 50	19,60	●	●
60 x 60	28,28	●	●
80 x 80	50,24	●	

## Sechskantstahl - warmgewalzt und blankgezogen

Hexagon bar - Hot rolled and cold drawn

blankgezogen EN 10088-3 Tab 7.2B

EN 10204 3.1



SW / WS mm	kg/m	4301	4404	4305
10	0,68			●
11	0,82		●	●
12	0,98		●	
13	1,15		●	●
14	1,33		●	●
17	1,96	●	●	●
19	2,45	●	●	●
22	3,29	●	●	●
24	3,92	●	●	●
27	4,96	●	●	●
30	6,12	●	●	●
32	6,96	●	●	●
36	8,81	●	●	●
41	11,43		●	●
46	14,39		●	

● = Vorrat


● = stock

## Winkelprofil - gegläht und gebeizt

Angle bar - Hot rolled and pickled

EN 10088-3 Tab. 7.1D

EN 10204 3.1



Abmessungen / Dimensions mm	Kg / m	4301	4404
20 x 20 x 3,0	0,89	●	●
25 x 25 x 3,0	1,12	●	●
25 x 25 x 4,0	1,47	●	
30 x 30 x 3,0	1,37	●	●
30 x 30 x 4,0	1,79	●	●
35 x 35 x 4,0	2,11	●	●
40 x 40 x 3,0	1,81	●	
40 x 40 x 4,0	2,43	●	●
50 x 50 x 3,0	2,28	●	
40 x 40 x 5,0	3,00	●	●
50 x 50 x 5,0	3,80	●	●
50 x 50 x 6,0	4,47	●	●
60 x 60 x 6,0	5,47	●	●
70 x 70 x 7,0	7,47	●	●
80 x 80 x 8,0	9,73	●	●
100 x 100 x 10,0	15,20	●	●

● = Vorrat  
○ = Ab Werk

● = Stock  
○ = Ex works