

Emnerør

Hollow bar

DIN 17456, EN 10216-5 TC1

EN 10204 3.1



OD x ID [mm]	Dimension				Guaranteed dimensions after peeling				Kg/m	4301 4306	4404	4571
	OD x Wall		OD x Wall		Outside centered		Inside centered					
	[mm]	[mm]	[mm]	[mm]	Ø	Ø1	Ø	Ø1				
32 x 20	32 x 6,0	31,5	21,6	29,9	20,5	4,2	●	●	○			
32 x 16	32 x 8,0	31,5	18,0	29,5	16,5	5,1	●	●	○			
36 x 25	36 x 5,5	35,5	26,5	34,0	25,5	4,6	●	○	○			
36 x 20	36 x 8,0	35,5	22,0	33,5	20,5	6,0	●	●	○			
36 x 16	36 x 10,0	35,5	18,4	33,1	16,5	6,8	○	○	○			
40 x 28	40 x 6,0	39,0	30,1	37,4	29,0	5,6	●	○	○			
40 x 25	40 x 7,5	39,0	27,4	37,1	26,0	6,5	●	●	○			
40 x 20	40 x 10,0	39,0	22,9	36,6	21,0	7,9	○	○	○			
45 x 32	45 x 6,5	44,0	34,2	42,3	33,0	6,8	●	○	○			
45 x 28	45 x 8,5	44,0	30,6	41,9	29,0	8,2	●	●	○			
45 x 20	45 x 12,5	44,0	23,4	41,1	21,0	10,6	●	●	○			
50 x 36	50 x 7,0	49,0	38,3	47,2	37,0	8,1	○	○	○			
50 x 32	50 x 9,0	49,0	34,7	46,8	33,0	9,8	○	●	○			
50 x 25	50 x 12,5	49,0	28,4	46,1	26,0	12,2	●	●	○			
56 x 40	56 x 8,0	55,0	42,5	53,1	41,0	10,3	●	●	○			
56 x 36	56 x 10,0	55,0	38,9	52,7	37,0	12,1	●	●	○			
56 x 28	56 x 14,0	55,0	31,7	51,9	29,0	15,2	○	○	○			
63 x 50	63 x 6,5	62,0	52,3	60,4	51,0	10,0	●	○	○			
63 x 45	63 x 9,0	62,0	46,6	61,4	46,0	13,0	○	○	○			
63 x 40	63 x 11,5	62,0	43,3	59,4	41,0	15,5	●	●	○			
63 x 36	63 x 13,5	62,0	38,5	60,5	37,0	17,4	○	○	○			
63 x 32	63 x 15,5	62,0	36,1	58,6	33,0	19,1	●	○	○			
71 x 56	71 x 7,5	69,0	59,6	67,3	58,0	12,9	●	●	○			
71 x 45	71 x 13,0	69,0	49,7	66,2	47,0	19,8	●	○	○			
71 x 40	71 x 15,5	69,0	43,8	67,2	42,0	22,4	○	○	○			
71 x 36	71 x 17,5	69,0	41,6	65,3	38,0	24,2	●	●	○			
75 x 60	75 x 7,5	74,0	62,3	73,1	61,0	13,7	○	○	○			
75 x 50	75 x 12,5	74,0	52,8	72,8	51,0	20,4	○	○	○			
75 x 40	75 x 17,5	73,0	44,2	70,9	42,0	26,1	○	●	○			
80 x 63	80 x 8,5	78,0	66,9	76,2	65,0	16,5	●	●	○			
80 x 50	80 x 15,0	78,0	55,2	74,9	52,0	25,5	●	●	○			
80 x 45	80 x 17,5	78,0	49,1	75,9	47,0	28,4	○	○	○			
80 x 40	80 x 20,0	78,0	46,2	73,9	42,0	31,0	●	●	○			
85 x 45	85 x 20,0	83,0	49,8	80,4	47,0	33,6	●	●	○			
90 x 71	90 x 9,5	88,0	75,2	86,1	73,0	20,7	●	○	○			
90 x 63	90 x 13,5	88,0	68,0	85,3	65,0	27,2	●	○	○			
90 x 56	90 x 17,0	88,0	60,1	85,9	58,0	32,2	○	○	○			
90 x 50	90 x 20,0	88,0	56,3	84,0	52,0	36,2	●	●	○			
95 x 50	95 x 22,5	93,0	56,9	88,5	52,0	42,1	○	○	○			

● = lager
○ = ab fabrikk

● = stock
○ = ex works

Emnerør

Hollow bar

DIN 17456, EN 10216-5 TC1

EN 10204 3.1



Dimension				Guaranteed dimensions after peeling				Kg/m	4301 4306	4404	4571
OD x ID [mm]	OD x Wall [mm]	Outside centered		Inside centered							
		Ø	Ø1	Ø	Ø1						
100 x 80	100 x 10,0	98,0	84,4	96,0	82,0	24,4	●	○	○		
100 x 71	100 x 14,5	98,0	76,3	95,2	73,0	32,7	●	○	○		
100 x 63	100 x 18,5	98,0	67,1	95,9	65,0	39,3	○	●	○		
100 x 56	100 x 22,0	98,0	62,8	93,8	58,0	44,4	●	○	○		
106 x 80	106 x 13,0	104,0	85,0	101,5	82,0	32,2	●	○	○		
106 x 71	106 x 17,5	104,0	77,0	100,6	73,0	40,5	○	○	○		
106 x 63	106 x 21,5	104,0	67,7	101,3	65,0	47,1	○	●	○		
106 x 56	106 x 25,0	104,0	63,5	99,1	58,0	52,2	○	●	○		
112 x 90	112 x 11,0	110,0	94,6	107,8	92,0	30,1	○	○	○		
112 x 80	112 x 16,0	110,0	85,7	106,9	82,0	40,4	○	●	○		
112 x 71	112 x 20,5	110,0	75,4	107,6	73,0	48,8	●	○	○		
112 x 63	112 x 24,5	110,0	70,5	105,3	65,0	55,4	○	○	○		
118 x 90	118 x 14,0	116,0	95,3	113,3	92,0	38,9	●	○	○		
118 x 80	118 x 19,0	116,0	86,4	112,4	82,0	49,2	○	●	○		
118 x 71	118 x 23,5	116,0	76,0	113,0	73,0	57,5	○	○	○		
118 x 63	118 x 27,5	116,0	71,1	110,7	65,0	64,1	●	○	○		
125 x 100	125 x 12,5	123,0	105,0	120,3	102,0	38,1	●	○	○		
125 x 90	125 x 17,5	123,0	96,1	119,6	92,0	49,6	○	○	○		
125 x 80	125 x 22,5	123,0	84,7	120,3	82,0	60,0	○	○	○		
125 x 71	125 x 27,0	123,0	79,1	117,9	73,0	68,3	○	○	○		
132 x 106	132 x 13,0	130,0	111,1	127,4	108,0	42,0	●	○	○		
132 x 90	132 x 21,0	130,0	96,8	126,0	92,0	61,0	●	○	○		
132 x 80	132 x 26,0	130,0	85,3	126,7	82,0	71,4	○	○	○		
132 x 71	132 x 30,5	130,0	79,9	124,3	73,0	79,7	○	○	○		
140 x 112	140 x 14,0	137,0	118,3	134,2	115,0	47,8	●	●	○		
140 x 100	140 x 20,0	137,0	107,6	133,2	103,0	63,2	●	○	○		
140 x 90	140 x 25,0	137,0	95,9	134,1	93,0	74,8	●	●	○		
140 x 80	140 x 30,0	137,0	89,8	131,4	83,0	85,1	●	●	○		
150 x 125	150 x 12,5	147,0	131,0	144,5	128,0	47,3	●	○	○		
150 x 106	150 x 22,0	147,0	114,1	142,8	109,0	74,1	●	○	○		
150 x 95	150 x 27,5	147,0	101,3	143,7	98,0	87,5	○	○	○		
150 x 80	150 x 35,0	147,0	90,9	140,5	83,0	103,5	○	○	○		
160 x 132	160 x 14,0	157,0	138,4	154,2	135,0	56,1	●	○	○		
160 x 122	160 x 19,0	157,0	126,3	155,7	125,0	71,5	●	●	○		
160 x 112	160 x 24,0	157,0	120,6	152,4	115,0	85,8	○	○	○		
160 x 90	160 x 35,5	159,0	96,7	154,7	91,0	112,8	○	○	○		
170 x 140	170 x 15,0	167,0	146,6	164,0	143,0	63,7	●	●	○		
170 x 130	170 x 20,0	167,0	134,3	165,7	133,0	80,2	○	○	○		
170 x 118	170 x 26,0	167,0	127,0	162,0	121,0	98,2	○	○	○		
170 x 106	170 x 32,0	167,0	116,3	161,0	109,0	114,6	○	○	○		
180 x 150	180 x 15,0	177,0	156,6	174,0	153,0	68,2	●	●	○		
180 x 140	180 x 20,0	177,0	144,1	175,9	143,0	85,9	●	○	○		
180 x 125	180 x 27,5	177,0	130,8	174,2	128,0	110,0	○	●	○		

● = lager
○ = ab fabrikk

● = stock
○ = ex works

Emnerør

Hollow bar

DIN 17456, EN 10216-5 TC1

EN 10204 3.1



Dimension				Guaranteed dimensions after peeling				Kg/m	4301 4306	4404	4571
OD x ID [mm]		OD x Wall [mm]		Outside centered		Inside centered					
Ø	Ø1	Ø	Ø1	Ø	Ø1	Ø	Ø1				
190 x	160	190 x	15,0	187,0	166,7	184,0	163,0	72,8	○	●	○
190 x	150	190 x	20,0	187,0	153,9	186,1	153,0	91,7	○	●	○
190 x	140	190 x	25,0	187,0	144,0	185,3	142,1	109,9	○	○	○
190 x	132	190 x	29,0	187,0	137,9	184,1	135,0	122,5	○	●	○
190 x	106	190 x	42,0	189,0	114,0	183,7	107,0	160,1	○	○	○
200 x	160	200 x	20,0	197,0	167,8	193,0	163,0	97,5	○	○	○
200 x	150	200 x	25,0	199,0	156,5	195,5	151,0	116,3	○	○	○
200 x	140	200 x	30,0	197,0	145,9	194,1	143,0	134,0	○	○	○
212 x	170	212 x	21,0	209,0	173,8	208,2	173,0	109,0	●	○	○
212 x	150	212 x	31,0	208,8	154,4	206,7	152,3	148,6	○	○	○
212 x	130	212 x	41,0	209,0	134,3	208,2	133,0	175,6	○	●	○
212 x	180	224 x	22,0	223,0	185,6	219,1	181,0	120,3	○	○	○
212 x	140	224 x	41,0	220,6	144,8	217,9	142,1	199,0	○	○	○
236 x	190	236 x	23,0	232,0	200,6	225,3	194,0	131,3	○	○	○
236 x	150	236 x	43,0	232,0	161,4	224,6	154,0	216,0	○	○	○
250 x	200	250 x	25,0	244,0	211,0	237,9	204,0	146,0	○	○	○

- = lager
- = ab fabrikk

- = stock
- = ex works